



The D. H. Hill Library



North Carolina State College

QK306

L6

v.6

QK306

L6 Loudon

v. 6

Arboretum

fruticeum

DATE

ISS

41109

This BOOK may be kept out **TWO WEEKS ONLY**, and is subject to a fine of **FIVE CENTS** a day thereafter. It is due on the day indicated below:

41109

100 - 100 61.0

ARBORETUM ET FRUTICETUM
BRITANNICUM.

VOL. VI.

SECOND VOLUME OF PLATES.

LONDON:
Printed by A. SPOTTISWOODE,
New-Street-Square.

ARBORETUM ET FRUTICETUM BRITANNICUM;

OR,

THE TREES AND SHRUBS OF BRITAIN,
Native and Foreign, Hardy and Half-Hardy,
PICTORIALLY AND BOTANICALLY DELINEATED,
AND SCIENTIFICALLY AND POPULARLY DESCRIBED;

WITH

THEIR PROPAGATION, CULTURE, MANAGEMENT,
AND USES IN THE ARTS, IN USEFUL AND ORNAMENTAL PLANTATIONS, AND IN
LANDSCAPE-GARDENING;

PRECEDED BY A

HISTORICAL AND GEOGRAPHICAL OUTLINE
OF THE TREES AND SHRUBS OF TEMPERATE CLIMATES
THROUGHOUT THE WORLD.

By ^{Chm} J. C. LOUDON, F.L. & H.S., &c.

AUTHOR OF THE ENCYCLOPEDIAS OF GARDENING AND OF AGRICULTURE,
AND CONDUCTOR OF THE GARDENER'S MAGAZINE.

IN EIGHT VOLUMES:

FOUR OF LETTERPRESS, ILLUSTRATED BY ABOVE 2500 ENGRAVINGS;
AND FOUR OF OCTAVO AND QUARTO PLATES.

VOL. VI.

THE PLATES FROM *ROSA*'CEÆ TO *OLEA*'CEÆ INCLUSIVE.

LONDON:

PRINTED FOR THE AUTHOR;

AND SOLD BY

LONGMAN, ORME, BROWN, GREEN, AND LONGMANS;

THE PARTIALLY COLOURED AND COLOURED COPIES, BY
JAMES RIDGWAY AND SONS.

1838.

CONTENTS.

LIST OF THE PORTRAITS OF TREES FORMING VOL. VI., SYSTEMATICALLY ARRANGED.

The names, scientific and English, of all the trees included in the plates forming Vols. V. VI. VII. and VIII., will be found systematically arranged in the General Contents in Vol. I., and alphabetically arranged at the end of Vol. VIII.

The number on the left hand merely shows the series; that on the right extremity of the column, in parenthesis, is the number printed on the plate; and the number preceding it refers to that page of the body of the work where the tree is treated of.

ROSACEE. (FRUIT TREES, THORNS, SERVICES, &c.)	120. <i>C. l.</i> , full-grown tree - (97a.) Syon House. <i>H. Le Jeune.</i>
Text in Vol. II.	
105. <i>Amýgdalus communis</i> } (the Almond) - } p. 674. (85.) Hort. Soc. Gard. <i>Miss M. L.</i>	121. <i>Crataegus coccinea</i> - p. 816. (102.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
106. <i>Pérsica vulgáris</i> (the } Peach) - } p. 680. (86.) Hort. Soc. Gard. <i>Miss M. L.</i>	122. <i>C. glandulosa</i> - p. 817. (102a.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
107. <i>Armeniaca vulgáris</i> } (the Apricot) - } p. 682. (87.) Hort. Soc. Gard. <i>Miss M. L.</i>	123. <i>C. punctata</i> - p. 818. (104.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
108. <i>A. sibírica</i> - p. 683. (88.) Hort. Soc. Gard. <i>Miss M. L.</i>	124. <i>C. pyrifolia</i> - p. 819. (105.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
109. <i>Prúnus spinósa</i> (the } Sloe) - } p. 684. (90.) Hort. Soc. Gard. <i>H. W. Jukes.</i>	125. <i>C. macracantha</i> - p. 819. (105.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
110. <i>P. insitívia</i> (the Bul- } lace) - } p. 687. (91.) Hort. Soc. Gard. <i>H. W. Jukes.</i>	126. <i>C. Crús-gállí</i> (the } { oekspur Thorn) } p. 820. (103.) Hort. Soc. Gard. <i>Miss L. Ronalds.</i>
111. <i>P. doméstica myrobá- } lana</i> (the Myrobalan } Plum) - } p. 688. (93.) Hort. Soc. Gard. <i>Miss M. L.</i>	127. <i>C. C.</i> , full-grown tree - (106a.) Fulham Palace. <i>H. Le Jeune.</i>
112. <i>Cérasus sylvéstris</i> } (syn. <i>durácina</i>) (the } common Cherry) } p. 693. (95.) Hort. Soc. Gard. <i>H. Le Jeune.</i>	128. <i>C. C. pyracanthifolia</i> p. 820. (108.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
113. <i>C. s.</i> , full-grown tree - (95a.) Studley Park. <i>H. W. Jukes.</i>	129. <i>C. C. salicifolia</i> - p. 820. (108a.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
114. <i>C. vulgáris</i> (syn. <i>avium</i>) p. 693. (94.) Hort. Soc. Gard. <i>H. Le Jeune.</i>	130. <i>C. C. ovalifolia</i> - p. 821. (108b.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
115. <i>C. v. semperflórens</i> - p. 701. (96.) Hort. Soc. Gard. <i>H. Le Jeune.</i>	131. <i>C. C. prunifolia</i> - p. 821. (109.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
116. <i>C. Maháleb</i> (the Per- } riined Cherry) - } p. 707. (98.) Hort. Soc. Gard. <i>H. Le Jeune.</i>	132. <i>C. nigra</i> - p. 822. (110.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
117. <i>C. Pádus</i> (the Bird } Cherry) - } p. 709. (99.) Hort. Soc. Gard. <i>H. Le Jeune.</i>	133. <i>C. purpurea</i> - p. 822. (111.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
118. <i>C. serótina</i> - p. 712. (101.) Hort. Soc. Gard. <i>H. Le Jeune.</i>	134. <i>C. Douglasi</i> - p. 823. (112.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
119. <i>C. lusitánica</i> (the Por- } tugal Laurel) - } p. 714. (97.) Syon House. <i>H. Le Jeune.</i>	135. <i>C. flava</i> - p. 823. (113.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
	136. <i>C. apiifolia</i> - p. 824. (115.) Messrs. Loddiges. <i>H. Le Jeune.</i>
	137. <i>C. cordata</i> - p. 825. (109a.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
	138. <i>C. spathulata</i> - p. 825. (115b.) Hort. Soc. Gard. <i>H. Le Jeune.</i>
	139. <i>C. Azarólus</i> (the Aza- } role) - } p. 826. (116.) Messrs. Loddiges. <i>H. Le Jeune.</i>
	140. <i>C. marocána</i> - p. 827. (116a.) Hort. Soc. Gard. <i>H. Le Jeune.</i>

141. *C. Arònia* - p. 827. (117.)
Hort. Soc. Gard. *H. Le Jeune.*
142. *C. orientàlis* (syn. }
odoratissima) } p. 827. (117a.)
Hort. Soc. Gard. *H. Le Jeune.*
143. *C. tanacetifòlia* - p. 828. (117b.)
Hort. Soc. Gard. *H. Le Jeune.*
144. *C. t. glàbra* - p. 828. (117c.)
Messrs. Loddiges. *H. Le Jeune.*
145. *C. t. Lecàna* - p. 828. (117d.)
Leyton Nursery. *H. Le Jeune.*
146. *C. heterophýlla* - p. 829. (117d.)
Hort. Soc. Gard. *H. Le Jeune.*
147. *C. Oxyacànthà* (the }
Hawthorn) } p. 829. (118.)
Hort. Soc. Gard. *H. Le Jeune.*
148. *C. O.*, full-grown tree - (118.)*
Studley Park. *H. W. Jukes.*
149. *C. O. obtusàta* - p. 830. (117c.)
Hort. Soc. Gard. *H. Le Jeune.*
150. *C. O. laciniàta* - p. 830. (118a.)
Hort. Soc. Gard. *H. Le Jeune.*
151. *C. O. eriocàrpa* - p. 831. (118b.)
Hort. Soc. Gard. *H. Le Jeune.*
152. *C. O. Oliveriàna* - p. 831. (118c.)
Hort. Soc. Gard. *H. Le Jeune.*
153. *C. O. melanocàrpa* p. 831. (118d.)
Hort. Soc. Gard. *H. Le Jeune.*
154. *C. O. strìcta* - p. 832. (118c.)
Hort. Soc. Gard. *Miss E. Ronalds.*
155. *C. O. regiuræ* - p. 832. (118f.)
Messrs. Loddiges. *H. Le Jeune.*
156. *C. mexicàna* - p. 843. (119.)
Messrs. Loddiges. *H. Le Jeune.*
157. *Photinia serrulàta* - p. 868. (120.)
Syon House. *H. Le Jeune.*
158. *Cotoneàster frígida* p. 871. (122a.)
Hort. Soc. Gard. *H. Le Jeune.*
159. *C. affinis* - p. 871. (122a.)
Hort. Soc. Gard. *H. Le Jeune.*
160. *C. acuminàta* - p. 872. (122c.)
Fulham Nursery. *Miss M. L.*
161. *C. nummulària* - p. 872. (122b.)
Hort. Soc. Gard. *H. Le Jeune.*
162. *Amelànychier Botry-*
àpium (Snowy) } p. 874. (121.)
Mespilus) }
Hort. Soc. Gard. *H. Le Jeune.*
163. *A. Botryap.*, full-grown tree (121a.)
Syon House. *G. R. Lewis.*
164. *Méspilus germànica* }
(the Medlar) } p. 877. (123.)
Hort. Soc. Gard. *H. Le Jeune.*
165. *M. Snúthi* (syn. }
grandiflòra) } p. 878. (124.)
Hort. Soc. Gard. *H. Le Jeune.*
166. *Pýrus communis* }
(the Pear) } p. 880. (125.)
Hort. Soc. Gard. *H. Le Jeune.*
167. *P. c.*, full-grown tree, 4to - (127.)
Hamley Cottage. *G. R. Lewis.*
168. *P. c. var. glout morceau* p. 881. (126.)
Bayswater. *H. Le Jeune.*
169. *P. sinàica* - p. 889. (130.)
Hort. Soc. Gard. *H. Le Jeune.*
170. *P. sinénsis* - p. 889. (130.)
Hort. Soc. Gard. *Miss M. L.*
171. *P. bollwylleriàna* - p. 890. (129.)
Hort. Soc. Gard. *H. W. Jukes.*
172. *P. variolòsa* - p. 891. (131.)
Hort. Soc. Gard. *H. W. Jukes.*
173. *P. Malus* (the Apple) p. 891. (132.)
Hort. Soc. Gard. *H. Le Jeune.*
174. *P. M.*, full-grown tree - (133.)
Tibberton. *G. R. Lewis.*
175. *P. baccàta* (the Si- }
berian Crab) } p. 892. (134.)
Hort. Soc. Gard. *Miss M. L.*
176. *P. (M.) coronària* - p. 908. (137.)
Hort. Soc. Gard. *H. W. Jukes.*
177. *P. (M.) angustifòlia* p. 909. (138.)
Hort. Soc. Gard. *H. Le Jeune.*
178. *P. (M.) spectàbilis* p. 909. (132a.)
Hort. Soc. Gard. *H. Le Jeune.*
179. *P. Aria undulàta* }
(the White Bean } p. 910. (139a.)
Tree) }
Hort. Soc. Gard. *H. W. Jukes.*
180. *P. vestita* - p. 912. (139.)
Messrs. Loddiges. *Miss M. L.*
181. *P. torminàlis* (the }
Wild Service) } p. 913. (139.)
Hort. Soc. Gard. *H. W. Jukes.*
182. *P. pinnatífida* - p. 915. (137d.)
Hort. Soc. Gard. *H. Le Jeune.*
183. *P. aucupària* (the }
Mountain Ash) } p. 916. (143.)
Hort. Soc. Gard. *H. Le Jeune.*
184. *P. americàna* - p. 920. (142.)
Hort. Soc. Gard. *H. W. Jukes.*
185. *P. Sòrbus* (the Sorb, }
or True Service } p. 921. (145.)
Tree) }
Messrs. Loddiges. *Miss M. L.*
186. *P. S. lanuginòsa* - p. 924. (146.)
Hort. Soc. Gard. *H. W. Jukes.*
187. *P. spùria* - p. 924. (143.)
Hort. Soc. Gard. *H. W. Jukes.*
188. *Cydonia vulgàris* (the }
Quince) } p. 929. (146.)
Hort. Soc. Gard. *H. Le Jeune.*
189. *C. sinénsis* - p. 931. (948.)
Hort. Soc. Gard. *H. Le Jeune.*
- MYRTACEÆ.
190. *Eucalyptus robùsta* - p. 959. (148.)
Stamford Hill. *L. Martin.*
- CORNACEÆ.
191. *Còrnus mäs* (the }
Dogwood) } p. 1014. (149a.)
Hort. Soc. Gard. *H. Le Jeune.*

- CAPRIFOLIACEÆ.
192. *Sambucus nigra* } p. 1027. (150.)
 (the Elder) }
 Hort. Soc. Gard. *H. Le Jeune.*
193. *Fiburnum prunifolium* p. 1034. (151.)
 Hort. Soc. Gard. *H. Le Jeune.*
- ERICACEÆ.
194. *Arbutus hýbrida* - p. 1119. (152.)
 Hort. Soc. Gard. *H. Le Jeune.*
195. *A. Andráchne* - p. 1120. (152a.)
 Messrs. Loddiges. *H. Le Jeune.*
- HALESITACEÆ. (SNOWDROP TREES.)
196. *Halésia tetráptera* - p. 1190. (154.)
 Hort. Soc. Gard. *H. Le Jeune.*
197. *H. t.*, full-grown tree - (153.)
 Syon House. *G. R. Lewis.*
- EBENACEÆ. (LOTE TREES, OR DATE PLUMS.)
198. *Diospýros Lótus* - p. 1194. (155a.)
 Bayswater. *H. Le Jeune.*
199. *D. L.*, full-grown tree - (155.)
 Syon House. *G. R. Lewis.*
200. *D. virginiana* }
 (Persimon, or }
 American Date } p. 1195. (156a.)
 Plum) - }
 Hort. Soc. Gard. *H. Le Jeune.*
201. *D. v.*, full-grown tree - (155b.)
 Syon House. *G. R. Lewis.*
- OLEACEÆ. (ASH TREES.)
202. *Fraxinus excélsior* - p. 1214. (157.)
 Hort. Soc. Gard. *H. Le Jeune.*
203. *F. e.*, full-grown tree - (156b.)
 Kensington Gardens. *J. Martin.*
204. *F. e.*, full-grown winter }
 tree, 4to } (156c.)
 Studley Park. *H. W. Jukes.*
205. *F. e. pendula* - p. 1214. (158.)
 Hort. Soc. Gard. *H. Le Jeune.*
206. *F. simplicifolia* - p. 1228. (159.)
 Hort. Soc. Gard. *H. Le Jeune.*
207. *F. parvifolia* - p. 1229. (63.)
 Hort. Soc. Gard. *H. Le Jeune.*
208. *F. lentiscifolia* - p. 1231. (166.)
 Hort. Soc. Gard. *H. Le Jeune.*
209. *F. americana* - p. 1232. (161.)
 Hort. Soc. Gard. *H. Le Jeune.*
210. *F. juglandifolia*, full- }
 grown tree, 4to } p. 1236. (163.)
 Pope's Villa, Twickenham. *H. Le Jeune.*
211. *F. eúptera* (syn. }
láncea) - } p. 2137. (162.)
 Hort. Soc. Gard. *H. Le Jeune.*
212. *F. pannosa*, full- }
 grown tree - } p. 1240. (162a.)
 Ham House, Essex. *L. Martin.*
213. *O'rnus europæa* }
 (the Flowering } p. 1241. (167a.)
 Ash) - }
 Hort. Soc. Gard. *H. Le Jeune.*
214. *O. e.*, full-grown tree - (167.)
 Syon House. *G. R. Lewis.*

LIST OF PLATES IN VOL. VI., ALPHABETICALLY ARRANGED.

The Roman numerals refer to the volumes of the text where the species is treated of.

- Almond. See *Amýgdalus.*
- Amelanchier Botryápium* II. p. 874. (121.)
- A. B.*, full-grown tree - - - (121a.)
- Amýgdalus communis* } II. p. 674. (85.)
 (the Almond) }
- Apple. See *Pýrus Malus.* - - -
- Apricot. See *Armeniaca.*
- Arbutus Andráchne* - II. p. 1120. (152a.)
- A. hýbrida* - - - II. p. 1119. (152.)
- Armeniaca vulgaris* (the } II. p. 682. (87.)
 Apricot) }
- A. sibírica* - - - - p. 683. (88.)
- Ash. See *Fraxinus.*
- Azarole. See *Crataëgus Azarobus.*
- Bird Cherry. See *Cérasus Páidus.*
- Cérasus (avium) vulgaris* II. p. 693. (94.)
- C. (durácina) sylvéstris* } II. p. 693. (95.)
 (the Cherry) }
- Cérasus sylvéstris*, full-grown tree - (95a.)
- C. lusitánica* (the } II. p. 714. (97.)
 Portugal Laurel) }
- C. l.*, full-grown tree - - - (97a.)
- C. Mahaleb* (the Perfumed } II. p. 707. (98.)
 Cherry) }
- C. Páidus* (the Bird Cherry) II. p. 709. (99.)
- C. semperflorens* - - - II. p. 701. (96.)
- C. serótina* - - - II. p. 712. (101.)
- Cherry. See *Cérasus.*
- Cockspur Thorn. See *Crataëgus Crus-gállii.*
- Córnus mas* (the } II. p. 1014. (149a.)
 Dogwood Tree) }
- Cotoneáster acuminata* II. p. 872. (122c.)
- C. affinis* - - - - II. p. 871. (122a.)
- C. frigida* - - - - II. p. 871. (122a.)
- C. nummularia* - - - II. p. 872. (122b.)
- Crataëgus apiifolia* - - - II. p. 824. (115.)

- Cratægus Arònia* - II. p. 827. (117.)
C. Azaròlus (the Azarole) II. p. 826. (116.)
C. coccinea - - - II. p. 816. (105.)
C. cordata - - - II. p. 825. (109*a*.)
C. Crús-gàlli (the }
 Cockspur Thorn) } - II. p. 820. (103.)
C. C. g., full-grown tree - - - (106*a*)
C. C. ovalifòlia - - II. p. 821. (108*b*.)
C. C. prunifòlia - - II. p. 821. (109.)
C. C. pyracanthæfòlia - II. p. 820. (108.)
C. C. salicifòlia - - II. p. 820. (108*a*.)
C. Douglasi - - - II. p. 823. (112.)
C. flàva - - - II. p. 823. (113.)
C. glandulòsa - - - II. 817. (102*a*.)
C. heterophýlla - - II. p. 829. (117*d*.)
C. macracántha - - II. p. 819. (103.)
C. maroccàna - - - II. p. 827. (116*a*.)
C. mexicàna - - - II. p. 843. (119.)
C. nigra - - - II. p. 822. (110.)
*C. (odoratíssima) }
 orientàlis } - II. p. 827. (117*a*.)
C. Oxyacántha (the }
 Hawthorn) } II. p. 829. (118.)
C. O., full-grown tree - - - (118.*)
C. O. eriocárpa - - II. p. 831. (118*b*.)
C. O. laciniàta - - II. p. 830. (118*a*.)
C. O. melanocárpa - - II. p. 831. (118*d*.)
C. O. obtusàta - - II. p. 830. (117*e*.)
C. O. Olivieriàna - - II. p. 831. (118*e*.)
C. O. reginæ - - - II. p. 832. (118*f*.)
C. O. stricta - - - II. p. 832. (118*e*.)
C. punctata - - - p. 818. (104.)
C. purpùrea - - - II. p. 822. (111.)
C. pyrifòlia - - - II. p. 819. (105.)
C. spatulàta - - - II. p. 825. (115*b*.)
C. tanacetifòlia - - - II. p. 828. (117*b*.)
C. t. glàbra - - - II. p. 828. (117*c*.)
C. t. Lecàna - - - II. p. 828. (117*d*.)
Cydònia vulgàris - - - II. p. 929. (146.)
C. sinénsis - - - II. p. 931. (948.)
Diospýros Lòtus (the }
 Date Plum) } II. p. 1194. (155*a*.)
D. L., full-grown tree - - - (155.)
D. virginiana - - - II. p. 1195. (156*a*.)
D. v., full-grown tree - - - (155*b*.)
 Dogwood. See *Còrnus*.
 Elder. See *Sambùcus*.
 Flowering Ash. See *O'rnus*.
Eucalýptus robùsta - II. p. 959. (148.)
Fràxinus americàna - II. p. 1232. (161.)
F. a. (lancea) epíptera II. p. 2137. (162.)
F. a. jùglandifòlia, }
 full-grown tree, 4to } II. p. 236. (163.)
F. a. pannòsa, }
 full-grown tree } II. p. 1240. (162*a*.)
F. excelsior }
 (the common Ash) } II. p. 1214. (157.)
F. e., full-grown tree - - - (156*b*.)
F. e., full-grown winter tree, 4to - (156*c*.)
F. c. lentiscifòlia - - II. p. 1231. (166.)
F. c. parvifòlia - - - II. p. 1229. (63.)
F. c. pèdula - - - II. p. 1214. (158.)
F. e. simplicifòlia - - II. p. 1228. (159.)
Halèsia tetráptera (the }
 Snowdrop Tree) } II. p. 1190. (154.)
H. t., full-grown tree - - - (153.)
 Hawthorn. See *Cratægus Oxyacántha*.
 Lotus Tree. See *Diospýros* and *Céltis*.
 Medlar. See *Méspilus*.
Méspilus germànica (the }
 Medlar) } II. p. 877. (123.)
M. (grandiflòra) Smithii II. p. 878. (124.)
 Mountain Ash. See *Pýrus aucupària*.
 Peach. See *Pèrsica*.
 Pear. See *Pýrus*.
 Perfumed Cherry. See *Cérasus Mahàleb*.
O'rnus europæa (the }
 Flowering Ash) } II. p. 1241. (167*a*.)
O. e., full-grown tree - - - (167.)
Pèrsica vulgàris (the Peach) II. p. 680. (86.)
Photinia serrulàta - - II. p. 868. (120.)
 Plum. See *Prùnus*.
 Portugal Laurel. See *Cérasus lusitanica*.
Prùnus domèstica }
myrobàlana } - - II. p. 688. (93.)
P. insitíta (the Plum) - - II. p. 687. (91.)
P. spinòsa (the Sloe) - - II. p. 684. (90.)
Pýrus americàna - - p. II. 920. (142.)
P. (M.) angustifòlia - - II. p. 909. (138.)
P. Aria undulàta (the }
 White Beam Tree) } II. p. 910. (139*a*.)
P. aucupària (the }
 Mountain Ash) } - II. p. 916. (143.)
P. baccàta (the Siberian }
 Crab) } II. p. 892. (134.)
P. bellwylleriàna - - II. p. 890. (129.)
P. communis (the Pear) II. p. 880. (125.)
P. c., full-grown tree, 4to. - - - (127.)
P. c., var. *glout moreceau* II. p. 881. (126.)
P. coronària - - - II. p. 908. (137.)
P. hýbrida lanuginòsa - - II. p. 924. (146.)
P. Málus (the Apple, - - II. p. 891. (132.)
P. M., full-grown tree - - - (133.)
P. pinnatífida - - - II. p. 915. (137*d*.)
P. sinàica - - - II. p. 889. (130.)
P. sinénsis - - - II. p. 889. (130.)
P. Sòrbus (the Sorb, or }
 True Service Tree) } II. p. 921. (145.)
P. (M.) spectàbilis - - II. p. 909. (132*a*.)
P. spùria - - - II. p. 924. (143.)
P. variolòsa - - - II. p. 891. (131.)
P. (A.) vestita - - - II. p. 912. (159.)
P. torminàlis (the }
 Wild Service) - } II. p. 913. (139.)
 Quince. See *Cydònia*.
 Service. See *Pýrus Sòrbus*.
 Siberian Crab. See *Pýrus baccàta*.
 Sloe. See *Prùnus*.
 Snowdrop Tree. See *Halèsia*.
 Sorb. See *Pýrus Sòrbus*.
Sambùcus nigra (Elder) II. p. 1027. (150.)
Viburnum prunifolium II. p. 1034. (151.)
 White Beam Tree. See *Pýrus Aria*.
 Wild Service. See *Pýrus torminàlis*.*

Amýgdalus commúnis.


The common Almond.



17 ft. high, 4 in. diam.




Pérsica vulgàris.
The common Peach tree.



16 ft. high; 4 in. diam.




Armeniaca vulgaris.
The common Apricot tree.




16½ ft. high, 7 in. diam



Armeniaca sibirica.
The Siberian Apricot tree.



11 ft. high, 3½ in. diam.




Prunus spinosa.

The Spiny Plum, or Sloe, tree.



15 ft. high, 7 in. diam.




*Prunus insilitia.*The grafted, or *Bullace*, Plum tree.

13 ft. high, 3 1/2 in. diam.



Prunus domestica myrobálana.
The Myrobalan Plum tree.




15 ft. high; 7½ in. diam.



Cerasus sylvestris.

The Gean, or wild Cherry tree.




17 ft. high: 4 in. diam.




Cerasus sylvēstris.

The wood, or common wild black, Cherry tree.




Full-grown tree at Studley Park, 85 ft. high : diam. of the trunk, 2 ft. 8½ in.
[Scale 1 in. to 24 ft.]




Cerasus avium.

The Bird's or wild Cherry, or Gean. Tree.



Cerasus semperflorans.
The ever-flowering Cherry.



13 ft. high, 3 1/2 in. di. cm.




Cerasus Mahaleb.
The *perfumed* Cherry Tree.



15 ft. high, 6 $\frac{1}{2}$ in. diam.



Cerasus Pàdus.
The Bird Cherry Tree.



10 ft. high, 4 in. diam.



Cerasus serotina.

The late-flowering *American Bird Cherry* tree.



120 ft. high, 3½ in. diam.






Cérasus lusitânica.
The Portugal Laurel.



10 ft. high, 4 in. diam.



Cerasus lusitánica.
The Portugal Laurel.




Full-grown tree at Syon, 24 ft. high ; and with a head, 45 ft. in diam.
[Scale 1 in. to 12 ft.]



Cratægus coccinea.
The scarlet-fruited Thorn.



13 1/2 ft. high, 3 1/2 in. diam.



Crataegus glandulosa.

The glandulous (*bracted and sepaled*) Thorn.



13 ft. high, 3½ in. diam.



Crataegus punctata.
The dotted-fruited Hawthorn.



14½ ft. high, 4½ in. diam.



Crataegus pyrifolia.
The pear-tree leaved Thorn.



14 ft. high, 2 1/2 in. diam.



Crataegus macracantha.
The long-spined Thorn.




12 ft. high, 2½ in. diam.



Crataegus Crús-gálli.
The Cockspur-thorned Hawthorn.



10 ft. high, 3 in. diam.




Cratægus Crús-gálli.
The Cockspur Thorn.



Full-grown tree at Syon, 30 ft. high; diam. of the trunk, 18 ft.; and of the head, 35 ft.
[Scale 1 in. to 12 ft.]



Crataegus Crús-gálli pyracanthaefolia.
The pyracantha-leaved Cockspur Thorn.



19 ft. high, 5 in. diam.



Cratægus Crús-gállí salicifolia.
The Willow-leaved Cockspur Thorn.



10 ft. high, 2½ in. diam.



Crataegus Crús-gálli ovalifolia.
The oval-leaved Cockspur Thorn.



12½ ft. high, 3 in. diam.



Crataegus Crús-gállí prunifolia.

The Plum-tree-leaved Cockspur Thorn.




17 ft. high, 3 m. diam.




Crataegus nigra.

The black-branched Thorn.



16 ft. high, 5 1/2 in. diam.



Crataegus purpurea.
The purple-branched Thorn.



13 ft. high, 3 1/4 in. diam.



Crataegus Douglàsii.

Douglas's Thorn.




2 ft. high, 2 in. diam.



Crataegus flava.
The yellow-fruited Hawthorn.



15 ft. high, 4 in. diam





Crataegus apifolia.
The parsley-leaved Thorn.




15 ft. high, 2 in. diam.



Crataegus cordata.
The heart-shaped-leaved Hawthorn.



12 ft. high, 3 in. diam.



Cratægus spatulata.

The Spatula-shape leaved Thorn.




8 ft. high, 1 1/4 in. diam




Crataegus Azarölus.

The Azarole Thorn.



Crataegus mauroccana.

The Morocco Thorn.




17 ft. high, 3 in. diam.

Crataegus Aronia.

The Aronia Thorn.




20 ft. high, 6 in. diam.




Crataegus odoratissima.
The sweetest-scented-flowered Thorn.



14 ft. high, 3½ in. diam.



Crataegus tanacetifolia.
The Tansy-leaved Thorn.



17 ft. high, 4½ in. diam.



Cratægus tanacetifolia glâbra.
The glabrous tansy-leaved Thorn.




9 ft. high, 2½ in. diam.




Cratægus tanacetifolia Leeàna.

Lee's tansy-leaved Thorn.



14 ft. high, 3 in. diam.



Cratægus heterophylla.
The various-leaved Thorn.



15 ft. high, 3 in. diam.



Crataegus Oxyacantha.

The common Hawthorn.




43 t high, 6 in diam.



Crataegus Oxyacantha.

The *common* Hawthorn.



Full-grown tree at Studley, 43 ft. high, diam. of the trunk, 4 ft.; and of the head, 48 ft.

[Scale 1 in. to 12 ft.]



Cratægus oxycanthoides.

The Hawthorn-like Thorn.




12 ft. high, 2½ in. diam.



Crataegus Oxyacantha laciniata.

The cut-leaved Hawthorn.



11 ft. high, 3 in. diam



Cratægus Oxyacantha eriocarpa.

The woolly-fruited Hawthorn.




14 ft. high, 5 in. diam.



Crataegus Oxyacantha Oliveriana.


Oliver's Hawthorn.



16 ft. high, 3½ in. diam.



Crataegus Oxyacantha melanocarpa.
The black-fruited Hawthorn.



Crataegus Oxyacantha stricta.

The upright Hawthorn.



12 ft. high, 4 in. diam.



Cratægus Oxyacantha regina.
Queen Mary's Hawthorn.



14 ft. high, 2½ in. diam.





Cratægus mexicana.
The Mexican Thorn.




10 ft. high, 2½ in. diam.





Photinia serrulata.
The serrulated-leaved Photinia.



12 ft. high, 2 in. diam.



Cotoneaster frígida.

The frigid (native locality) Cotoneaster.



16 ft. high, 3 in. diam.



*Cotoneaster affinis.*The related (*to frigida*) Cotoneaster.

15 ft. high, 3 1/2 in. diam.



Cotoneáster acuminàta.

The pointed-leaved Cotoneaster.



9 ft. high, 1½ in. diam.



Cotoneaster Nummularia.

The Nummularia-leaved Cotoneaster.



12 ft. high, 2 ft. diam.



Amelanchier Botryopium.

The Grape Pear, or *Snowy-blossomed*, Amelanchier.



14 ft. high, 3 in. diam



*Amelanchier Botryâpinum.*The Grape Pear, or *snowy*, Amelanchier.

Full-grown tree at Syon, 40 ft. high; diam. of the trunk, 3 ft.; and of the head, 54 ft.


[Scale 1 in. to 12 ft.]




Méspilus germánica.
The *common*, or German, Medlar tree.



10 ft. high, 4 in. diam.



Mespilus grandiflora.
The large-flowered Medlar.




15½ ft. high, 6 m. diam.




Pyrus communis.

The common *wild* Pear tree.



17 ft. high, 4 in. diam.




INSERT FOLDOUT HERE

*Pyrus sinàica.*The *Mount Sinai* Pear tree.

16 ft. high, 5 m. diam.



Pyrus sinensis.
The Chinese Pear tree.




15 ft. high, 3½ in. diam.



*Pyrus bollwylleri*ana.
The Bollwyller Pear tree.




16 ft. high, 3 in. diam.



Pyrus variolosa.

The variable-leaved Pear tree.




Pyrus Malus.

The common, or Crab-Apple tree.



16 ft. high, 5 in. diam.



Pyrus Malus var.
The Madeley Apple Tree.



Full-grown tree on Herbert's Farm near Hereford, 40 ft. high; diam. of the head, 48 ft.; and of the trunk, 5 ft.
[Scale 1 in. to 12 ft.]



Pyrus baccata.
The berry-like-fruited Crab tree.



146, high, 3½ in. diam.



Pyrus coronaria.

The crowned, or sweet-scented, Crab Tree.




10 ft. high, 2½ in. diam.



Pyrus [*Malus*] *angustifolia*.

The narrow-leaved Crab.



14 ft. high, 4 in. diam.



Pyrus (Malus) spectabilis.

The showy-flowered Chinese Apple tree.




14 ft. high, 3 in diam.



Pyrus Aria undulata.

The way-*leaved* White Beam tree.




Pyrus restita.

The down-invested Nepal White Beam tree.



24 ft. high, 7 in. diam.



Pyrus (Aria) torminalis.


The griping, fruited Wild Service tree.



11 ft. high, 2½ in. diam.



Pyrus (Sorbus) pinnatifida.
The pinnatifid-leaved Service tree.



12 ft. high, 2 1/2 in. diam.



Pyrus aucuparia.

The Fowler's Service, or the Mountain Ash, tree



15 ft. high, 3 m. diam.



Pyrus (Sórbus) americana.

The American Service or Mountain Ash tree.




12 ft. hi., 2 in. diam.




Pyrus Sôrbus.


The true *Service*, or Sorb tree.



16 ft. high, 4 in. diam.



Pyrus Sôrbus híbrida lanuginôsa.
The woolly-leaved hybrid Service tree.



Pyrus (Sórbus) spúria.

The spurious, Pyrus, or Service tree.



11 ft. high, 3 1/2 in. diam.



Cydonia vulgaris.

The common Quince tree.



12 ft. high, 4 in. diam.



Cydonia sinensis.

The Chinese Quince tree.




7 ft. high, 1½ in. diam.



Eucalyptus robusta.

The robust Eucalyptus, or *Stringy-bark tree*.



14 ft. high, 2 in. diam.



Cornus más.

The male Dogwood, or *Cornel tree.*




13 ft. high, 2 1/2 in. diam.




Sambucus nigra.

The common, or black berried Elder.



20 ft. high, 6 in. diam.




*Viburnum prunifolia.*The Plum-*tree* leaved Viburnum.

11 ft. high, 2 1/2 in. diam.



Arbutus hybrida.
The hybrid Arbutus.



Arbutus Andrachne.

The Andrachne Arbutus.



13 ft. high, 6 in. diam.



Halesia tetraptera.

The four winged-seeded *Halesia*, or *Snowdrop tree*.



9 ft. high, 2 in. diam.



Halesia, tetráptera.

The four-winged fruited, Halesia, or *Snow-drop tree*.



A full-grown tree at Syon, remarkable for its form, 15 ft. high; diam. of the head, 52 ft.
[Scale 1 in. to 12 ft.]



Diospyros Lôtus.

The Lotus tree, or *European Date Plum.*



16 ft. high, 3 in. diam.



*Diosp̄yros Lōtus.*The Lotus tree, or *European Date Plum.*


Full-grown tree at Syon, 15 ft. high; diam. of the trunk, 1 ft.; and of the head, 39 ft.
[Scale 1 in. to 12 ft.]



Diospyros virginiana.
The Virginian Date Plum.



10 ft. high, 1½ in. diam.



Diospyros virginiana.
The Virginian Date Plum.



Full-grown tree at Syon, 28 ft. high; diam. of the trunk, 1½ ft.; and of the head, 44 ft.
[Scale 1 in. to 12 ft.]



Fraxinus excelsior.

The taller, or common, Ash.



Fraxinus excelsior.
The taller, or common Ash.



Full grown tree in Kensington Gardens, 75 ft. high; trunk, 4 ft. 6 in. diam.; head, 45 ft. diam.
[Scale in. to 12 ft.]

INSERT FOLDOUT HERE



Fraxinus excelsior péndula.

The pendulous branched taller, or weeping common, Ash.




Fraxinus excelsior simplicifolia.

The simple-leaved taller, or common, Ash.



18 ft. high, 4 in. diam.




Fraxinus excelsior parvifolia.


The small-leaved taller, or common, Ash.




Fraxinus Lentiscifolia.
The Lentiscus-leaved Ash.



Fraxinus americana.
The American Ash.




21 ft. high, 5 in. diam.



INSERT FOLDOUT HERE

Fraxinus americana lancea.
The lance-leaved American Ash.



Fraxinus americana pennsylv.

The cloth-like-leaved American Ash.




Full-grown tree at Ham House, 52 ft. high; diam. of the head, 53 ft.
[Scale 1 in. to 12 ft.]



Ornus europæa.

The European Flowering Ash.



15 ft. high, 5 in. diam.



Œnus europæa.
The European Flowering Ash.



Full-grown tree at Syon, 58 ft. high.

[Scale 1 in. to 12 ft.]





